

MMR call / recall Communications Toolkit

Regional NHS Communications

February 2024



What is the background?

Measles cases are on the rise, with unvaccinated children and young adults at risk of becoming seriously unwell.

UKHSA announced a national measles incident in January 2024 following an increase in confirmed cases. All regions have measles cases with London and the West Midlands highlighted as having more cases. Without intervention UKHSA predict the measles cases will continue to rise in all regions. For latest figures [see here](#).

The uptake figures of the MMR vaccination has been in decline for over ten years, with on average at least one in ten children unvaccinated and at risk of becoming seriously unwell. In some areas this is as high as four in ten children.

NHSE are launching a national call / recall inviting those not fully vaccinated to come forward to catch up on missed doses of the MMR vaccination.



MMR Vaccine uptake

Lower than the WHO recommended 95% vaccine uptake and the measles virus circulating is creating the perfect storm for infection to spread.

- The MMR vaccine has been in decline for over ten years with COVID-19 and misinformation exacerbating the problem. This in line with other childhood vaccinations.
- The vaccination rate for both MMR doses at age 5 years is 84.5% for England, lower than the 95% target set by the WHO and as low as 60% in some areas of London. (data from UHKSA published uptake stats)
- Millions of children under the age of 16 are not fully protected against measles. This is the number of children who have missed one or both doses of the MMR vaccine.



The Measles risk

Measles is more than just a rash – it's serious

- In England cases of measles are continuing to increase as is the risk to those unvaccinated. Measles is serious and without intervention, the NHS could see many hospitalised, and there is a real risk of completely preventable measles related deaths.
- The risk of measles is perceived by some parents as low, citing it being 'just a rash'. The media are calling the virus a 'Victorian disease', the return of an old virus. Neither are true with measles being present throughout the decades, but that the vaccination programmes had kept it at bay in recent years.
- Measles can cause blindness, sepsis and meningitis, with encephalitis being a serious concern years after the infection has passed. Currently there are a number of children in hospital with measles.
- Measles is one of the world's most infectious diseases, with an R rate of R15, making it more infectious than COVID-19, a cold and flu. Without an increase in vaccination rates UKHSA modelled that there could be over 160,000 cases in London alone.



MMR national call / recall – February 2024

Call / recall will target those unvaccinated and partially vaccinated

To target those not fully protected against measles (missing one or both doses of their MMR vaccine) NHSE are launching a call / recall inviting the following cohorts to book an appointment to catch up on their MMR vaccinations;

- Cohort one (One to five-year-olds) parents / carers already being contacted through their GP surgeries between November 2023 and March 2024
- Cohort two (Six to 11-year-olds) parents / carers in England to receive a communication in February and March 2024
- Cohort three (11 to 16-year-olds) parents / carers in London and West Midlands will receive a communication in February and March 2024. Greater Manchester will receive a recall in March only.
- Cohort four and five (17 to 25-year-olds) in London, Greater Manchester and West Midlands to receive communications in February and March 2024.

The campaign will see communications sent via text message, email and letters, and for those over 16 years the NHS app will also send a communication.

The communication invites all those contacted to book a catch-up appointment at their GP surgery to receive their next dose of the MMR vaccine. In London, school age children can also contact their School Aged Immunisation Service to arrange a catch up in school or through a clinic.

An MMR invites web page for more information has been launched at www.england.nhs.uk/mmr-invites



Objectives

To increase awareness of the seriousness of measles and the offer of the MMR vaccine as the best preventative

- Increase awareness of ‘measles is more than just a rash’. There is no medical treatment for measles, and it can be life threatening and / or life limiting.
- Educate communities of the benefits of the MMR vaccine to prevent children becoming seriously unwell.
- To dispel misinformation;
 - Gelatine - there is a non-porcine MMR vaccine option
 - Natural immunity - building immunity ‘naturally’ risks children being seriously unwell
 - Autism – where this is an issue, reiterate there is no link between the MMR vaccine and autism. (National Autism Society state ‘There is no link between autism and vaccines.’)
- Remind people the MMR vaccine needs 2 doses; at one year and three years and four months
- Increase awareness that young adults also need to catch up on any missed MMR vaccines



Audience / Insights

Primary audience

- Parents / guardians and carers of children aged 6-11 years (All regions receiving the call / recall for this cohort)
- Parents / guardians and carers of children aged 1-5 years (GP call / recall target group)

Secondary audiences

- Parents / carers of children aged 12+
- Young adults from 17-25 years
- Those looking to conceive (MMR vaccs before getting pregnant)
- Healthcare professionals
- Stakeholders and children's charities



Key messages

- Measles cases continue to rise in England
- Over one in ten children across England remain at risk of catching measles without both doses of the MMR vaccine
- Measles is not just a childhood disease; adults can become seriously unwell
- Measles in pregnancy is serious and can cause stillbirth, premature labour and miscarriage.
- One in 15 measles cases can have complications such as meningitis, sepsis and blindness
- Measles is one of the world's most infectious diseases, with one infected person giving it to approximately 15 other unvaccinated people.
- One in five children will require a hospital visit if they become unwell with measles ([source](#))
- Millions of parents will be contacted from today (5th Feb) inviting them to book their child in for any missed doses of the MMR vaccine
- Thousands of young adults will today (19th February) be contacted to catch up on missed MMR vaccines (West Midlands, Greater Manchester & London only)
- The Measles, Mumps and Rubella (MMR) vaccine is safe and has been used since the 1980s.
- There is no medical treatment for measles; MMR vaccination is the best protection against becoming seriously unwell
- Over 20 million cases of measles have been prevented since the start of measles vaccination in the UK. Over 4,500 lives have been saved as a result (81 lives per year) *source is UKHSA
- MMR vaccination is free on the NHS with the first dose being offered when a child is one year and the second at 3 years and 4 months old. This provides long lasting protection against measles, mumps and rubella
- The evidence is clear; there is no link between the MMR vaccine and autism

Call to action

- If you or your child may have missed out on the MMR vaccine, contact your GP practice as soon as possible to check your records and to book an appointment to catch up.
- For more information visit the [NHS website](#)



Action for Regional Communications

To support the MMR call / recall campaign it would be great for teams to;

- Where possible circulate the information to encourage stakeholders to amplify messages
- Share content on social media, new assets available
- Share content with regional press, including local statistics for children not fully vaccinated
- Circulate assets for regional and local teams to use
- Encourage primary care teams / ICBs / SAIS to discuss MMR with this unvaccinated
- Local outreach work with key demographics in your community who are vaccine hesitant
- Contact education settings and head teachers to circulate the information to parents



MMR inequalities

Examples of innovation in low uptake communities

In some communities where the uptake of the MMR vaccine has been lower, some GP surgeries, primary care teams and the inequalities teams have tried new initiatives to try and increase engagement and ultimately uptake of the MMR vaccine. This has included;

- Calls to parents of unvaccinated children
- Local outreach to key communities
- Clinics in religious settings
- Working with local community leaders and religious leaders
- Health events in communities

Communications Assets

Website: bdcpartnership.co.uk/strategic-initiatives/partnership-campaign-centre/

Password: pcc


Social Media Assets

Child focused - the following assets can be used to support the call / recall for children

Post	Graphic	Alt text
More than 3 million unvaccinated children are at risk of catching measles in England. Make sure your child is up to date with their MMR vaccinations. You can make an appointment with your GP practice to catch up on missed doses. For more info → nhs.uk/MMR		Download the 'measles can make your child seriously unwell' graphic Measles can make your child seriously unwell. Make sure your child is up to date with their MMR vaccinations. Graphic of a child getting vaccinated. NHS logo in the top right hand corner.
Measles cases are rising in England. You can still ask your GP practice for the MMR (measles, mumps and rubella) vaccine if your child has missed either of their 2 doses. For more information → nhs.uk/MMR		Download the '2 doses of the MMR vaccine graphic Two doses of the MMR vaccine can stop your child becoming seriously unwell with measles. Make sure your child is up to date with their MMR vaccinations. Graphic of two vaccination vials. NHS logo in the top right hand corner.
		Download the 'check your child's red book' graphic Make sure your child is up to date with their MMR vaccinations. Check your child's red book, and make an appointment with your GP practice to catch up on missed doses. Graphic of the red book. NHS logo in the top right hand corner.
Measles is highly infectious and can be passed on even before a rash appears. Make sure your child is protected from becoming seriously unwell from measles by making sure they are up to date with their MMR (measles, mumps and rubella) vaccinations. → nhs.uk/MMR		Download the 'more than 3 million unvaccinated children are at risk of catching measles in England' graphic.' More than 3 million unvaccinated children are at risk of catching measles in England. Make sure your child is up to date with their MMR vaccinations. Graphic of a child getting vaccinated. NHS logo in the top right hand corner.

Social Media Assets

Child focused - the following assets can be used to support the call / recall for children

Post	Graphic	Alt text
Measles is more than just a rash – it's serious. Make sure your child is protected from becoming seriously unwell from measles by making sure they are up to date with their MMR (measles, mumps and rubella) vaccinations. → nhs.uk/MMR	 Download the 'measles can make your child seriously unwell' graphic	Measles is more than just a rash. 1 in 5 children will need a hospital visit. Graphic of a hospital. NHS logo in the top right hand corner.
Measles cases are rising in England. Make sure your child is up to date with their MMR vaccinations. For more information visit nhs.uk/mmr.	 Download the dad and child 'measles cases are rising' graphic	Measles cases are rising in England. Make sure your child is up to date with their vaccination. Graphic of a parent and child. NHS logo in the top right hand corner.
	 Download the mum and child 'measles cases are rising' graphic	
Measles is highly infectious and can be passed on even before a rash appears. Make sure your child is protected from becoming seriously unwell from measles by making sure they are up to date with their MMR (measles, mumps and rubella) vaccinations. → nhs.uk/MMR	 Download the 9 out of 10 graphic	9 out of 10 unvaccinated children will catch measles if someone in their class has it. Checked your child is up to date with their MMR vaccinations. Graphic of a school aged boy and girl. NHS logo in the top right hand corner.

Social Media Assets

Adult focused - encourage young adults to catch up on any missed MMR doses at their GP

Post	Graphic	Alt text
Measles cases are rising across England. 2 doses of the MMR vaccine provide the best protection against measles, mumps and rubella. For more information and how to book → nhs.uk/MMR		Download the book an appointment at any age graphic Measles can make your child seriously unwell. Make sure your child is up to date with their MMR vaccinations. Graphic of a child getting vaccinated.
Measles is highly infectious and can be passed on even before a rash appears. Make sure you are protected from becoming seriously unwell from measles by making sure you are up to date with your MMR (measles, mumps and rubella) vaccinations. More info → nhs.uk/MMR		Download the 'measles is not just a childhood disease' graphic Two doses of the MMR vaccine can stop your child becoming seriously unwell with measles. Make sure your child is up to date with their MMR vaccinations.



Other assets

[Posters for schools](#)

[British Islamic Medical Association poster](#)

[Poster in various languages](#)

[Leaflets and animations from the health publication library](#)

[MMR resources on GOV.UK](#)

[Email signature](#)

[UKHSA social media carousel and GIF](#)

[UKHSA social media video – symptoms \(Vimeo\)](#)

[UKHSA social media video – symptom with voiceover \(Vimeo\)](#)

[Digital screen MP4](#)



National press activity

Measles is expected to continue being high profile into 2024

- Following the high profile of measles in the media, on 22 January NHSE launched a press release around the call / recall and the number of children at risk of catching measles.
- The full press release is [here](#) and can be used and tailored for regional media / bulletins / communications.
- The published number for children in regions that are not fully protected can be found [here](#). These stats and can be used in communications with press and social media.
- Further press activity will continue as the measles cases rise with further calls to action for parents and those unvaccinated.
- UKHSA will be announcing frequent updates on confirmed measles case numbers



NHSE Call / recall materials

Template assets available for use in communications

- The NHSE national call / recall materials used in the current campaign can use found on the [Partnership's Campaign Centre](#). These templates and key messages can be used in local call / recalls where suitable. This includes;

Under 16 years

- SMS message to parents
- Email template to parents
- Letter to parents

Over 16 years

- SMS message to unvaccinated individual
- Emails template to unvaccinated individual
- Letter template to unvaccinated individual
- App template to unvaccinated individual



Bulletin copy – to adapt accordingly

NHSE urges those unprotected against measles to come forward for their vaccinations

Measles cases are continuing to rise across England, with a number of unvaccinated children and young adults requiring hospital as infections take hold.

This month, millions of parents, carers and young adults in England are being contacted by the NHS to book missed measles, mumps, and rubella (MMR) vaccines as part of a major new campaign to protect those at risk from becoming seriously unwell.

NHS figures show millions of children under the age of 16 years are either unprotected or not fully protected and at risk of catching these serious and completely preventable diseases.

Measles is not just a childhood disease and can be serious at any age. If caught during pregnancy it can be very serious causing stillbirth, miscarriage and low birth weight and NHS bosses are also urging young adults to catch up on any missed doses before thinking about starting a family.

Two doses of the safe and effective MMR vaccine are needed for maximum life-long protection, with the first dose given around the child's first birthday, and the second dose given at around three years and four months old.

However, anyone can catch up at any age on any missed doses and it's never too late to protect yourself.

If you or your child have not had both dose of the MMR vaccine contact your GP surgery to book an appointment as soon as possible and catch up.

Thank You



@nhsengland



company/nhsengland



england.nhs.uk